



إدارة مختبر دبي المركزي Dubai Central Laboratory Department (DCLD)

شهادة مطابقة للمنتج CERTIFICATE OF PRODUCT CONFORMITY

Certificate number:	CL20020739	رقم الشهادة:
Issued to the Product:	Low Emitting Materials Details as per the attached Scope of Certification	تم منح الشهادة للمنتج:
Manufactured by:	AL MUTATHAWIR INSULATION MATERIALS INDUSTRIES LLC	مصنع من قبل:
Address:	Plot 4/2035 Al Hanoo Area, Saja'a Industrial Oasis, Sharjah, UAE	العنوان:

تم تقييم المنتج وفقًا لمرجع إدارة مختبر دبي المركزي رقم DM-DCLD-RD-DP21-2001 (IC) "الأحكام العامة لنظام بلدية دبي لمنح شهادة مطابقة المنتج من قبل طرف ثالث من خلال تقييم المصنع" والأحكام الخاصة ذات الصلة، وتم الإقرار بناءً عليه بأنه مطابق للمواصفة القياسية:

The product has been assessed in accordance to DCLD Document Reference No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

2023 AL SA'FAT DUBAI GREEN BUILDING SYSTEM

وطبقاً لذلك ، تفوض إدارة مختبر دبي المركزي الشركة المصنعة المذكورة أعلاه بوضع علامة المطابقة المنتج على المنتج/المنتجات المذكورة أعلاه

Accordingly, DCLD hereby authorizes the above manufacturer to affix the DCL Product Conformity Mark on the above-mentioned product(s)

تاريخ الإصدار الاولي: 31/03/2020 تاريخ الإصدار الاولي: Current Issue Date: 31/03/2024 تاريخ الإصدار الحالي: Valid until: 30/03/2025





for/ Certification and Quality Control of Products Section Manager Dubai Central Laboratory Department-Dubai Municipality



The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.

This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

OPEN-DATA

DM-DCI D-F-IC-2031 Rev 23







SCOPE OF CERTIFICATION FOR CERTIFICATE NO. CL20020739

Certificate Issued To: AL MUTATHAWIR INSULATION MATERIALS INDUSTRIES LLC

Plot 4/2035 Al Hanoo Area, Saja'a Industrial Oasis, Sharjah, UAE

Applicable Standard Specification: 2023 Al Sa'fat Dubai Green Building System – 2nd Edition

Applicable Specific Rules: DM-DCLD-RD-DP21-2180 (IC) - Certification of Low Emitting

Materials (Paints, Coatings, Adhesives, Sealants) as per the 2023 Al Sa'fat Dubai Green Building System-2nd Edition

S/N	PRODUCT DESCRIPTION	BRAND NAME	PRODUCT DETAILS
1. In	Coatings Other than Paints Interior / Exterior trim and cladding paints for wood and metal (Sub-category 4)	Advacoat 250	Water Based for Interior/Exterior Applications:
		Advacryl 120	VOC (Al Sa'fat-DGBS limit is max. 130 g/l) Formaldehyde ≤ 10 mg/kg
		Advaseal 2000	WHITE COLOR SRI (Result of sample tested is ≥ 78) (See Note #4)
2.	PAINTS Primers (Sub-category 7)	Advaprim Emulsion	Water Based for Interior/Exterior
		Advaproof Emulsion SBR	Applications:
		Advaproof Emulsion SG	VOC (AI Sa'fat-DGBS limit is max.30 g/l) Formaldehyde ≤ 10 mg/kg
		Advatex 2000	Heavy metals: Cadmium and Chromium
		Advafoamcrete	(Al Sa'fat-DGBS limit < 500 mg/Kg), Arsenic, Mercury and Lead
			(Al Sa'fat-DGBS limit <100 mg/Kg)





3.	Coatings Other than Paints Binding Primers (Sub-category 8)	Novaseal Coating Aimbond SBR Aimbond SBR Plus Aimbond EP Aimbond PVA Aimbond AC Aimrelease OB Aimrelease WB Aimrelease Adva Repellent Adva Clear Sealer Advaproof SP Advatex 1000 Advatex 3000 Advatex 4000 Aimbond SBR/Advabond SBR Aimbond SBR Plus/Advabond SBR Plus Aimbond EP/Advabond EP Aimbond PVA/Advabond PVA Aimbond AC/Advabond AC Adva Repellent/ Aim Repellent Advaclear Sealer/Aimclear Sealer Advaproof 5P/Aimproof 5P Advatex 3000/Aimtex 3000 Advatex 4000/Aimtex 3000 Advatex 4000/Aimtex 4000	Water Based for Interior/Exterior Applications: VOC (AI Sa'fat-DGBS limit is max. 30 g/l)





TOR CERTIFICATE NO. CE20020133			
	PAINTS		Solvent Based for Interior/Exterior Applications:
	Binding Primers (Sub-category 8)	Advaprim Solvent	VOC (Al Sa'fat-DGBS limit is max. 750 g/l) Heavy metals: Cadmium and Chromium (Al Sa'fat-DGBS limit < 500 mg/Kg) Arsenic, Mercury and Lead (Al Sa'fat-DGBS limit <100 mg/Kg)
4.	Coatings Other than Paints One Pack Performance Coating (Sub-category 9)	Advabrush – 1 Advabrush – 1K / Aimbrush – 1K Krystaseal Coat Novaseal Coating 600 Novaseal 1000 Advabrush – 2 Advaline Advathane PU Coating Emulsion	Water Base for Interior/Exterior Applications: VOC (AI Sa'fat-DGBS limit is max. 140 g/l) Formaldehyde ≤ 10 mg/kg WHITE COLOR SRI (Result of sample tested is ≥ 78) (See Note #4) Solvent Base for Interior/Exterior
		Advathane PU Coating Solvent	Applications: VOC (Al Sa'fat-DGBS limit is max. 500 g/l)
	Coatings Other than Paints	Advapoxy Flooring 1500 Advapoxy Flooring 3000	Solvent Base for Interior/Exterior Applications:
5.	Two Pack Reactive Performance Coating (Sub-category 10)	Advapoxy Clear Advapoxy SL / Aimpoxy SL Advapoxy SL2 / Aimpoxy SL2	VOC (Al Sa'fat-DGBS limit is max. 500 g/l)





		FOR CERTIFICATE NO. CL200	
		Advapoxy 2000 / Aimpoxy 2000 Advapoxy Primer / Aimpoxy Primer Advathane 2K / Aimthane 2K Advathane 2K Clear / Aimthane 2K Clear Advapoxy PTG / Aimpoxy PTG Advathane Primer / Aimthane Primer Advathane HB / Aimthane HB Advathane UHB / Aimthane UHB Advathane UVR / Aimthane UVR	
6.	Sealant	Advamastic Advamastic PU Sealant / Aimmastic PU Sealant Advamastic PS 200 / Aimmastic PS200 Advasil GP / Aimsil GP Advasil WR / Aimsil WR Advasil WP / Aimsil WP Advasil HT / Aimsil HT Advasil FP / Aimsil FP Advabitmastic / Aimbitmastic	Architectural Sealant VOC (Al Sa'fat-DGBS limit is max 250 g/l)





		Aimtile Adhesive / Advatile	
		Adhesive	
		Aimtile Adhesive C1S1 / Advatile	
		Adhesive C1S1	
7.	Adhesives	Aimtile Adhesive C2 / Advatile	Ceramic Adhesive
		Adhesive C2	
		Aimtile Adhesive C2S1 / Advatile	VOC (Al Sa'fat-DGBS limit is max 65 g/l)
		Aimtile Adhesive C2S1	
		Aimtile RM / Advatile RM	
		Aimtile Pool / Advatile Pool	
		Aimtile EP / Advatile EP	
		Aimtile on Tile / Advatile on Tile	
		Aimcrete FC / Advacrete FC	
		Aimcrete FC2 / Advacrete FC2	
		Aimcrete R / Advacrete R	
		Aimcrete MC / Advacrete MC	
		Aimplug / Advaplug	
		Aimgrout NS / Advagrout NS	
		Aimgrout / Advagrout	

- NOTE 1: This document forms an integral part of the Certificate of Product Conformity bearing the same certificate number.
- NOTE 2: The above product shall bear the DCLD Conformity Mark.
- NOTE 3: Other properties in the product standard specification which were excluded in the specific rules as approved by the certification body authorized personnel are to be verified by the end user of the product (if needed).
- NOTE 4: The above SRI value is just for information. The user (owner, contractor and/or consultant) shall be fully responsible for ensuring that the correct SRI value is followed according to the requirements of the applicable clause in the standard specification. The acceptance limit shall be as per these values for each application of the product.





SCOPE OF CERTIFICATION FOR CERTIFICATE NO. CL20020739

Original Issue Date: 31 March 2020

Current Issue Date: 31 March 2024

Valid Until: 30 March 2025

for/ MANAGER

CERTIFICATION AND QUALITY CONTROL OF PRODUCTS SECTION